Fully powered... instantly mobile... completely secure.

The CT300 is a complete tablet solution that turns a security challenge into a sales opportunity. It features 3-axis viewing, optional mobile POS device integration, and USB 2.0 ports that enable transactions wherever and whenever customers are ready. Auditing and unlimited mobility are possible with software control and rapid tablet undocking technology. CT300's tough and durable security stand makes it possible for tablets to be left unattended as self-service kiosks. The stand provides power and security to integrated tablets and mobile POS devices, and the ergonomic security frames accommodate 8" to 12" tablets.

InVue®

FEATURES AND BENEFITS

1 Supports any tablet size, manufacturer and operating system

2 Designed for fixed and mobile applications

3 Integrated charging for tablet and payment device

4 Mounting versatility with bolt, adhesive, or optional free standing base

5 Rapid mobility conversion using electronic key or software control to undock from stand

InVue

FEATURES AND BENEFITS (continued)

1 Stand has built-in alarm with optional alarm signal out

2 Improve customer interaction with viewing adjustments, rapid mobility and mPOS

3 USB 2.0 connections to support peripherals and data connectivity (not applicable for Apple devices)

4 All frames come standard with a hand strap, swivel capability, and the option to shoulder strap

5 Optional Gang Charger allows up to 5 frames with payment device to charge at once

6 Single frame charge adapter keeps tablet and optional peripheral charged, charging indicator and an optional wall mount bracket and counter stand

Ecosystem™

IR ECOSYSTEM™

CT300 is part of the exclusive InVue IR Ecosystem™, a storewid single key solution that improves customer service, increases sales and provides high theft protection.

| Handheld Electronics | Electronic Accessories | Secure Fixtures | Package Protection | Locked Cabinets | Commercial Solutions |

SPECIFICATIONS

CT300 Stand with USB (CTG2E001-B/W)
CT300 Stand without USB (CTG2S001-B/W):

5.7"
145.0 mm

3.3"
83.74 mm

7.7"
194.48 mm

3.15"
80.0 mm

USB ports (not available on all models)

Mounting hole required: 1" (25.4 mm)
Power cable length: 39.37" (1.5 m) from exit of stand

InVue

SPECIFICATIONS

CT300 for HP Pro 608 BLE Frame, Verifone USB E355 Support (CTG2F004-B/W):

0.7"
19.0 mm

13.8"
350.7 mm

2.9"
73.4 mm

1.7"
44.2 mm

1.2"
29.3 mm

10.4

6.7"
169.5 mm

0.8"
21.5 mm

CT300 for iPad Air2/Pro 9.7/iPad (gen5) BLE Frame, Verifone USB E355 Support (CTG2F027-B/W):

0.7"
18.0 mm

15.1"
382.34 mm

2.9"
74.4 mm

1.7"
44.2 mm

1.2"
29.3 mm

7.2"
183.99 mm

0.8"
21.46 mm

InVue

SPECIFICATIONS

CT300 for Lenovo TP10 Frame 2nd Generation Verifone USB E355 Support (CTG2F006-B/W):

2.9"
73.4 mm

1.7"
44.05 mm

1.1"
29.2 mm

0.8"
21.0 mm

15.9"
402.92 mm

CT300 for iPad Air2/Pro 9.7/iPad (gen5) Frame, Charge Only (CTGF028-B/W):
CT300 for iPad Air2/Pro 9.7/iPad (gen5) BLE Frame (CTG2F026-B/W):

10.4"
264.3 mm

0.7"
18.0 mm

7.2"
183.99 mm

InVue

## SPECIFICATIONS

CT300 for HP Pro 608 Frame, Charge Only (CTGF009-B/W):
CT300 for HP Pro 608 BLE Frame (CTG2F003-B/W):

2.5"
63.1 mm

1.3"
33.90 mm

0.7"
19.0 mm

8.7"
220.0 mm

6.7"
169.5 mm

CT300 iPad Air2/Pro 9.7/iPad (gen5) BLE Frame, Ingenico iSMP Support (CTG2F029– B/W):

2.56"
65.0 mm

2.68"
68.1 mm

15.12"
384.1 mm

7.24"
184.0 mm

InVue

SPECIFICATIONS

CT300 Lenovo X1 BLE Frame, Verifone USB E355 Support (CTGF011-B/W):

1.82"
46.3 mm

17.16"
435.9 mm

9.12"
231.6 mm

9.12"
231.6 mm

CT300 Lenovo Tab3 10 Business BLE Frame, Verifone USB E355 Support (CTGF014-B/W):

1.82"
46.3 mm

15.35"
389.9 mm

7.73"
196.4 mm

7.73"
196.4 mm

InVue

SPECIFICATIONS

CT300 for Microsoft Surface Pro 4 BLE Frame (CTGF019-B/W):

1.71"
43.4 mm

12.91"
327.8 mm

8.95"
227.3 mm

8.95"
227.3 mm

CT300 MS Surface Pro 4 BLE Frame, Verifone E355 USB (CTG2F020– B/W):

1.82"
46.3 mm

17.35"
440.7 mm

8.95"
227.3 mm

8.95"
227.3 mm

InVue

SPECIFICATIONS

CT300 Single Frame Charge Adapter Wall Mount (CTG2FP001-B):

3.48"
88.26 mm

1.63"
41.45 mm

3.48"
88.26 mm

1.63"
41.45 mm

4.30"
109.28 mm

InVue

InVue

SPECIFICATIONS

CT300 Single Frame Charge Adapter (CTG2CHARGE):

3.40"
86.37 mm

1.11"
28.1 mm

3.17"
80.49 mm

SPECIFICATIONS

CT300 Gang Charger, 5 Frame Capacity (CTG2GC):

7.87"
200.0 mm

4.53"
115.0 mm

15.75"
400.0 mm

9.65"
245.0 mm

2.05"
52.0 mm

14.76"
375.0 mm

InVue

PRODUCT ORDERING: CT300

ORDER CODE	DESCRIPTION	NOTES	CARTON QTY.
CTG2E001-B CTG2E001-W	CT300 Stand with USB - Black CT300 Stand with USB - White		1
CTG2S001-B CTG2S001-W	CT300 Stand, no USB - Black CT300 Stand, no USB - White		1
CTG2F026-B CTG2F026-W	CT300 iPad Air2/Pro 9.7 BLE Frame - Black CT300 iPad Air2/Pro 9.7 BLE Frame - White		1
CTG2F003-B CTG2F003-W	CT300 HP Pro 608 BLE Frame - Black CT300 HP Pro 608 BLE Frame - White		1
CTG2F004-B CTG2F004-W	CT300 HP Pro 608 BLE Frame, Verifone USB e355 Support - Black CT300 HP Pro 608 BLE Frame, Verifone USB e355 Support - White		1
CTG2F027-B CTG2F027-W	CT300 iPad Air2/Pro 9.7 BLE Frame, Verifone USB e355 Support - Black CT300 iPad Air2/Pro 9.7 BLE Frame, Verifone USB e355 Support - White		1
CTG2F006-B CTG2F006-W	CT300 Lenovo TP10 2nd Gen BLE frame, Verifone USB e355 Support - Black CT300 Lenovo TP10 2nd Gen BLE frame, Verifone USB e355 Support - White		1
CTG2F028-B CTG2F028-W	CT300 iPad Air2/Pro 9.7 Frame, Charge Only - Black CT300 iPad Air2/Pro 9.7 Frame, Charge Only - White		1
CTG2F009-B CTG2F009-W	CT300 HP Pro 608 Frame, Charge Only - Black CT300 HP Pro 608 Frame, Charge Only - White		1
CTG2F011-B CTG2F011-W	CT300 Lenovo X1 BLE Frame, Verifone USB E355 Support - Black CT300 Lenovo X1 BLE Frame, Verifone USB E355 Support - White		1
CTG2F013-B CTG2F013-W	CT300 iPad Pro 12.9 BLE Frame, Black CT300 iPad Pro 12.9 BLE Frame, White		1
CTG2F014-B CTG2F014-W	CT300 Lenovo Tab3 10 Business BLE Frame, Verifone E355 Support - Black CT300 Lenovo Tab3 10 Business BLE Frame, Verifone E355 Support - White		1
CTG2F029-B CTG2F029-W	CT300 iPad Air2/Pro 9.7 BLE Frame, Ingenico iSMP Support - Black CT300 iPad Air2/Pro 9.7 BLE Frame, Ingenico iSMP Support - White		1
CTG2F019-B CTG2F019-W	CT300 Microsoft Surface Pro 4 BLE Frame - Black CT300 Microsoft Surface Pro 4 BLE Frame - White		1
CTG2F020-B CTG2F020-W	CT300 MS Surface Pro 4 BLE Frame, Verifone E355 USB - Black CT300 MS Surface Pro 4 BLE Frame, Verifone E355 USB - White		1

InVue

PRODUCT ORDERING: CT300

ORDER CODE	DESCRIPTION	NOTES	CARTON QTY.
CTG2P009-B CTG2P009-W	CT300 iPad Air2/Pro 9.7 Frame Power, Home, Audio, Volume Blockers, Black - 5 each (20 total) CT300 iPad Air2/Pro 9.7 Frame Power, Home, Audio, Volume Blockers - 5 each (20 total)		1
CTG2F021-B CTG2F021-W	CT300 Zebra ET50/AAVA Inari 8.3 BLE frame, Verifone USB e355 Support - Black CT300 Zebra ET50/AAVA Inari 8.3 BLE frame, Verifone USB e355 Support - White		1
CTG2F034-B CTG2F034-W	CT300 iPad Air 2/Pro 9.7 BLE Frame, iPad as managed device, Black CT300 iPad Air 2/Pro 9.7 BLE Frame, iPad as managed device, White		1
CTG2F035-B	CT300 AAVA i6 flip adapter, BLE		1
CTG2F037-B CTG2F037-W	CT300 iPad Pro 10.5 BLE Frame, Verifone USB e355 Support - Black CT300 iPad Pro 10.5 BLE Frame, Verifone USB e355 Support - White		1
CTG2F039-B CTG2F039-W	CT300 Lenovo Tablet 10 BLE frame, Black CT300 Lenovo Tablet 10 BLE frame, White		1
CTG2F040-B CTG2F040-W	CT300 Lenovo Tablet 10 BLE frame, Verifone USB e355 Support - Black CT300 Lenovo Tablet 10 BLE frame, Verifone USB e355 Support - White		1
CTG2F041-B CTG2F041-W	CT300 Lenovo Tablet 10 BLE frame, Ingenico USB iSMP4 Support - Black CT300 Lenovo TP10 2nd Gen BLE frame, Ingenico USB iSMP4 Support - White		1
CTG2FP001-B	CT300 Single Frame Charge Adapter Wall Mount		1
CTG2FP002-B	CT300 Counter Pedestal for Single Frame Charge		1
CTG2FCHARGE	CT300 Single Frame Charge Adapter		1
CTG2FCHARGE- 2	CT300 Single Frame Charge with Host Input		1
CTG2EP001	CT300 USB Right Angle Adapter, 2 Pack		1
CTG2EP002	CT300 USB Port Cover, 4 Pack		1
CTG2EP003	CT300 Verifone e355 mount, with interconnect cable		1
CTG2EP003-CBL	Replacement cable for Verifone e355 mount, (CTG2EP003)		1
CTG2EP004	CT300 Verifone e355 cradle with charging cable, black		1
CTG2EP004-CBL	Replacement cable for Verifone e355 cradle, (CTG2EP004)		1
CTG2FCHARGE	CT300 Single Frame Charge Adapter		1
CTG2GC	CT300 Gang Charger - Black		1

InVue

PRODUCT ORDERING: CT300

ORDER CODE	DESCRIPTION	NOTES	CARTON QTY.
CTG2P001	CT300 Desktop Freestanding Plate		1
CTG2P002	CT300 Stand Adhesive Removal Tool		1
CTG2P003-B	CT300 Frame Shoulder Strap - Black		1
CTG2P004	CT300 Frame Hand Strap - Black		1
CTG2P005	CT300 iPad Frame Power Connector		1
CTG2P006	CT300 Cable Adapter Alarm Signal Out		1
CTG2P007	CT300 Frame Replacement Screws, 6 Pack		1
CTG2P008-B	CT300 Stand Portrait to Landscape Button Blocker, 5 Pack - Black		1
CTG2P009-B CTG2P009-W	CT300 iPad Air2/Pro 9.7 Frame Power, Home, Audio, Volume Blockers, Black - 5 each (20 total) CT300 iPad Air2/Pro 9.7 Frame Power, Home, Audio, Volume Blockers - 5 each (20 total)		1
CTG2P010	CT300 Frame Reader Cradle Replacement Screws, 5 Pack		1
CTG2P011	CT300 Lenovo TP10 Frame Replacement USB and Power Connectors, 2 of each (4 total)		1
CTG2P012	CT300 Frame Audio Jack Extender		1
ADH2099	CT300 Stand Adhesive Mounting Kit, 8 pack		1
ADH2102	CT300 Stand Replacement Adhesive, 13mm Diameter, 12 Pack		1
CTG2PS01-US CTG2PS01-AUS CTG2PS01-EU CTG2PS01-JPN CTG2PS01-UK	CT300 Stand Power Supply, 5V/5A & 12V/3A Out - US CT300 Stand Power Supply, 5V/5A & 12V/3A Out - AUS CT300 Stand Power Supply, 5V/5A & 12V/3A Out - EU CT300 Stand Power Supply, 5V/5A & 12V/3A Out - JPN CT300 Stand Power Supply, 5V/5A & 12V/3A Out - UK		1
PS24V65-US PS24V65-AUS PS24V65-EU PS24V65-JPN PS24V65-UK	Gang Charger Power Supply - US Gang Charger Power Supply - AUS Gang Charger Power Supply - EU Gang Charger Power Supply - JPN Gang Charger Power Supply - UK		1

ENVIRONMENTAL SPECIFICATIONS

Stand:
Operating Temperature: 0°C 0% RH to 40°C and 80%RH
Shipping and Storage Specifications: -20°C and 0%RH and 72 hours at 70°C and 85%RH

Gang Charger:
Operating Temperature: 0 Degrees C to 40 Degrees C; 0-85% RH non-condensing
Storage Temperature: -20 Degrees C to 70 Degrees C; 0-85% RH
Surface Touch Temperature: 50 Degrees C metal; 60 Degrees C plastic

POWER SUPPLY SPECIFICATIONS

CT300 Stand:
AC/DC Adaptor (Power Supply):
› *Input:* 100-240V @ 50-60Hz, 4A
› *Output:* 5VDC @ 5A; 12VDC @ 3A

Tablet Charging Power:
5V @ 3A
12V @ 3A

Mobile Device Charging Power:
5V @ 1A

Two USB 2.0 Type A Ports capable of delivering up to 500mA each
Agency Certifications: CE, FCC

Silent Alarm Signal Out:
Voltage Range: 60V Maximum
Current Range: 100mA Maximum
Contact Type: Normally Open (1-Form-A) Contact
Contact Resistance: 8 Ohm Maximum
Connection Type: Terminal Block; 16-30 AWG Solid Wire; 16-30 AWG Stranded Wire; Small Flat Screwdriver
Operation: No Alarm-Contacts Open; When in Alarm Mode-Contacts Closed (shorted together)

Tablet Frames Currently Available:
HP Pro Tab 608
Lenovo X1
Lenovo Tab 3 10 Business
Lenovo Tablet 10
Microsoft Surface Pro 4/Surface Pro
iPad Air 2/Pro 9.7, iPad 9.7 (Gen 5, Gen 6), iPad Pro 10.5, iPad Pro 12.9
Lenovo 2nd Generation TP10 (InVue frame also compatible with Lenovo TP10 Pro Dock. InVue frame supports Lenovo tablet "Take Home Mode", so tablet may be quickly and easily removed from frame without tools.)
AAVA iNari/Zebra ET50 8"
AAVA i6 Flip

Mobile Payment Devices Currently Integrated:
Verifone E355, Ingencio iSMP & Ingenico iSMP4

invue.com

THE AMERICAS 704.752.6513 • 888.55.INVUE
EUROPE, MIDDLE EAST & AFRICA +31.23.8900150
ASIA PACIFIC +852.3127.6811