Take your business to your customers with a fixed kiosk and mobile tablet solution.

CT80 and CT150 provide a freestanding tablet display that's ready to use right out of the box. Tablets can easily be rotated to portrait or landscape mode as well as flipped to face the customer. The CT80/CT150's versatile design allows the tablet to easily be removed for mobile use from the base plate providing a second auxiliary stand as well as a convenient handle. CT80 and CT150 work with all tablets regardless of manufacturer or operating system.

InVue

FEATURES AND BENEFITS

1 Utilize OEM power cable for charging (CT80 only)
2 Integrated charging keeps your tablet powered and ready to use (CT150 only)
3 Tablet can go from fixed to mobile in seconds with InVue's IR Key (CT150) or a simple switch
4 CT80/CT150 supports a wide range of tablet sizes regardless of manufacturer or operating system
5 Easily rotate between landscape and portrait display and flip to face the customer
6 Freestanding out of the box with fixed mounting options available

CT80

CT80

CT150

CT150IR

INVUE

FEATURES AND BENEFITS (continued)

1 For a fixed kiosk solution use the CT80 key to disable the handle latch (CT80 only)

2 CT150 wall mount with mechanical lockdown allows face of tablet to be less than 4" from wall (universal mount with 75mm VESA pattern)

3 Supports Micro USB, USB-C, Apple and custom power connection tablets

4 Turn your tablet into a POS device with an easy to add card swipe/chip reader device bracket

5 Supports use of 3rd party frames/cases

InVue

IR ECOSYSTEM™

IR ECOSYSTEM™

The CT150IR is part of the exclusive InVue IR Ecosystem™, a storewide single key solution that improves customer service, increases sales and provides high theft protection.


| Handheld Electronics | Electronic Accessories | Secure Fixtures | Package Protection | Locked Cabinets | Commercial Solutions |

InVue

**SPECIFICATIONS**

CT80 Handle (CTLH001):

3.62"
91.9 mm

XXXXXXX
YYYY

3.61"
91.8 mm

5.88"
149.4 mm

3.50"
88.8 mm

1.18"
30.0 mm

2.05"
52.0 mm

InVue

SPECIFICATIONS

CT80 Base (CTLB001):

5.34"
135.7 mm

1.42"
36.1 mm

6.04"
153.4 mm

8.18"
207.8 mm

CT80 Cable Management Clips (CTLA001):

CT80 Replacement Key (CTLA002):

InVue

SPECIFICATIONS

CT150 Counter Stand, Latch (CTBL001):

5.34"
135.7 mm

1.42"
36.1 mm

6.04"
153.4 mm

8.18"
207.8 mm

52.2"
1325.0 mm

InVue

SPECIFICATIONS

CT150 Wall Mount, Latch (CTBL002):

6.14"
156.0 mm

5.24"
133.0 mm

5.04"
128.0 mm

2.89"
73.5 mm

2.28"
58.0 mm

0.13"
(4X) ⌀3.3 mm

2.95"
(2X) 75.0 mm
VESA

0.28"
(2X) ⌀7.0 mm

2.95"
(3X) 75.0 mm

InVue

SPECIFICATIONS

CT150 Counter Stand IR (CTBR001):

5.34"
135.7 mm

1.42"
36.1 mm

6.04"
153.4 mm

8.18"
207.8 mm

52.2"
1325.0 mm

InVue

SPECIFICATIONS

CT150 Tablet Handle (CTBH001):

3.62"
91.9 mm

XXXXXXX
YYYY

3.61"
91.8 mm

5.88"
149.4 mm

3.50"
88.8 mm

1.18"
30.0 mm

2.05"
52.0 mm

InVue

SPECIFICATIONS

CT150 MFI Lightning Cable Kit (CTBA001):

6.30"
160 mm

CT150 USB-C Cable Kit (CTBA002):

6.50"
165 mm

InVue

SPECIFICATIONS

CT150 Micro USB Cable Kit (CTBA003):

6.50"
165 mm

CT80/CT150 Bolt Mount Kit (CTBA004):

1.19"
R30.3 mm

0.98"
25.0 mm

3.15"
80.0 mm

0.20"
5.0 mm

0.48"
12.1 mm

InVue

SPECIFICATIONS

CT150/CT100 Magtek iDynamo Mount (CTBA007) *(for use with Apple iPads only)*:

3.19"
81.0 mm

4.15"
105.3 mm

1.23"
31.3 mm

0.85"
21.7 mm

0.36"
9.2 mm

CT80/CT150 Stand and Handle Replacement Adhesive (ADH2165):

0.98"
25.0 mm

0.49"
12.5 mm

0.04"
1.1 mm

InVue

PRODUCT ORDERING

ORDER CODE	DESCRIPTION	NOTES
CT80		
CT80 Counter	CT80 System - Black	› Includes base (CTLB001) and handle (CTLH001), key and cable clips
CTLH001-B	CT80 Handle - Black	
CTLB001-B	CT80 Base - Black	
CTLA001-B	CT80 Cable Management Clips - Black	› Two (2) replacements
CTLA002	CT80 Replacement Key	› 1.5mm hex
CTBA004	CT80/CT150 Bolt Mount Kit	
ADH2165	CT80/CT150 Stand and Handle Replacement Adhesive	
DNTX93	Scoop Blade Adhesive Removal Tool CT80/CT150	› Multitool is required (AF6313)
HC7430	Optional LSE Adhesive Pads for CT80/CT150	

White available as BTO

InVue®

PRODUCT ORDERING

ORDER CODE	DESCRIPTION	NOTES
CT150		
CT150 Counter	CT150 Counter Mount System - Black	› Includes base (CTBL001) and handle (CTBH001)
CT150 Wall	CT150 Wall Mount System - Black	› Includes wall mount (CTBL002) and handle (CTBH001)
CT150IR Counter	CT150 IR Counter Mount System - Black	› Includes base (CTBR001) and handle (CTBH001)
CTBL001-B	CT150 Counter Stand, Latch - Black	
CTBL002-B	CT150 Wall Mount, Latch - Black	
CTBR001-B	CT150 Counter Stand IR - Black	
CTBH001-B	CT150 Tablet Handle - Black	
CTBA001-B	CT150 MFI Lightning Cable Kit - Black	
CTBA002-B	CT150 USB-C Cable Kit - Black	
CTBA003-B	CT150 Micro USB Cable Kit - Black	
CTBA004	CT80/CT150 Bolt Mount Kit	
CTBA007	CT150/CT100 Magtek iDynamo Mount	› For use with Apple iPads only
ADH2165	CT80/CT150 Stand and Handle Replacement Adhesive	
DNTX93	Scoop Blade Adhesive Removal Tool CT80/CT150	› Multitool is required (AF6313)
HC7430	Optional LSE Adhesive Pads for CT80/CT150	
PS24VUS PS24VEU PS24VAUS PS24VUK PS24VJPN	24V Power Supply Kit with US blades 24V Power Supply Kit with EU blades 24V Power Supply Kit with AUS blades 24V Power Supply Kit with UK blades 24V Power Supply Kit with JPN blades	

White available as BTO

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature: 0°C 0% RH to 40°C and 80%RH
Shipping and Storage Specifications: -20°C and 0%RH and 72 hours at 70°C and 85%RH

POWER SUPPLY SPECIFICATIONS

CT150 Stand:

AC/DC Adaptor (Power Supply)(PS24V-XX):

› *Input:* 115-220VAC @ 50-60Hz
› *Output:* 45 Watts: 5V, 9V, 12V, & 15V devices up to 3 Amps

invue.com

THE AMERICAS   704.752.6513 • 888.55.INVUE
EUROPE, MIDDLE EAST & AFRICA   +31.23.8900150
ASIA PACIFIC   +852.3127.6811

InVue