

securefixtures



Includes the Award
Winning Shelf Tether™



Secure Fixtures

part of the IR Ecosystem™

SHELF TETHER™ ▶



◀ IR STOPLOK™

IR FLEXIBLE LOCKING HOOK™ ▶



◀ IR LOCKING HOOK™





IR ECOSYSTEM™

Secure Fixtures is part of the exclusive InVue IR Ecosystem™, a storewide single key solution that improves customer service, increases sales and provides high theft protection.



Shelf Tether™

protection for merchandise on shelves

InVue's Shelf Tether's innovative design has won awards for its product design. This is the perfect combination of security and customer experience. Customers can pick up the product and experience it, but thieves cannot steal it.



Feature

- 3 feet of recoiling cable
- Cut resistant cable
- Secure base unit
- Works with IR2 Key

Benefit

- Allows customer to interact with product
- Alarms if tampered (non-alarming also available)
- Alarms if taken off wall by manual attack
- One key for a store-wide security solution

SHELF TETHER ORDERING INFORMATION

SHELF TETHER



ORDER CODE	DESCRIPTION
NT1	Alarming base unit
NT2	Non-alarming base unit

ACCESSORIES



ORDER CODE	DESCRIPTION
NT-BRACKET-FB	American Pegboard Shelf Tether Bracket (5-Count)



NT-BRACKET-A	American Pegboard Shelf Tether Bracket (5-Count)
NT-BRACKET-E	European Pegboard Shelf Tether Bracket (5-Count)



NT-BRACKET-VL	Extended Slat Wall Shelf Tether Bracket (5-Count) <i>(For Shelf Tether placement above or below slat line)</i>
---------------	---



NT-BRACKET-PSA	Flat Surface Shelf Tether Bracket with Adhesive (5-Count)
----------------	---



NTAP-PSA	Replacement Adhesive for NT-BRACKET-PSA
----------	---



NTAP-01	Adhesive Hang Tabs (100-Count)
---------	--------------------------------

IR StopLok™

integrates with existing hooks and fixtures

Display and protect merchandise on any commodity peg hook. The IR StopLok quickly and easily integrates with your store's current system. You control the amount of live and locked merchandise on display.



Feature

Attaches to commodity peg hooks
Small footprint
Rugged design
Place anywhere on wire
Works with IR2 Key

Benefit

Works with current setup
Maximizes merchandise branding
Can withstand manual attacks
Control amount of live and locked merchandise
One key for a store-wide security solution

IR STOPLOK ORDERING INFORMATION

ORDER CODE	DESCRIPTION
NS6A	Fits 5.0 mm Diameter Wire
NS6B	Fits 5.5 mm Diameter Wire
NS6C	Fits 6.0 mm Diameter Wire
NS8A	Fits 6.4 mm Diameter Wire
NS8B	Fits 7.0 mm Diameter Wire
NS8C	Fits 8.1 mm Diameter Wire

Minimum Order: 25 units per order code

IR Flexible Locking Hook™

provides customizable locking hook protection

IR Flexible Locking Hooks provide flexible options to customers and sales associates. Allow customers to access one or two “live” products, but leave the rest locked behind the StopLok.



Feature	Benefit
StopLok provides flexibility	Control amount of live and locked merchandise
Signature locking back secures hook	Easy to remerchandise, but hard for thieves to steal
Integrated information tag	Showcases product information
Works with IR2 Key	One key for a store-wide security solution

IR FLEXIBLE LOCKING HOOK ORDERING INFORMATION						
 	5.5" (14 CM) SINGLE WIRE					
	<table border="1"> <thead> <tr> <th>ORDER CODE</th> <th>WALL TYPE</th> </tr> </thead> <tbody> <tr> <td>NFLOK5.5</td> <td>American Pegboard</td> </tr> </tbody> </table>	ORDER CODE	WALL TYPE	NFLOK5.5	American Pegboard	
ORDER CODE	WALL TYPE					
NFLOK5.5	American Pegboard					
 	7" (18 CM) DOUBLE WIRE					
	<table border="1"> <thead> <tr> <th>ORDER CODE</th> <th>WALL TYPE</th> </tr> </thead> <tbody> <tr> <td>NF2LOK7</td> <td>American Pegboard</td> </tr> <tr> <td>NF2LOK7E</td> <td>European Pegboard</td> </tr> </tbody> </table>	ORDER CODE	WALL TYPE	NF2LOK7	American Pegboard	NF2LOK7E
ORDER CODE	WALL TYPE					
NF2LOK7	American Pegboard					
NF2LOK7E	European Pegboard					
 	9" (23 CM) DOUBLE WIRE					
	<table border="1"> <thead> <tr> <th>ORDER CODE</th> <th>WALL TYPE</th> </tr> </thead> <tbody> <tr> <td>NF2LOK9</td> <td>American Pegboard</td> </tr> <tr> <td>NF2LOK9E</td> <td>European Pegboard</td> </tr> </tbody> </table>	ORDER CODE	WALL TYPE	NF2LOK9	American Pegboard	NF2LOK9E
ORDER CODE	WALL TYPE					
NF2LOK9	American Pegboard					
NF2LOK9E	European Pegboard					
	OM REMOVAL TOOL					
	<table border="1"> <thead> <tr> <th>ORDER CODE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td>OM-RT</td> <td>Needed to remove locking back for re-merchandising Minimum Order Quantity: 1</td> </tr> </tbody> </table>	ORDER CODE	DESCRIPTION	OM-RT	Needed to remove locking back for re-merchandising Minimum Order Quantity: 1	
ORDER CODE	DESCRIPTION					
OM-RT	Needed to remove locking back for re-merchandising Minimum Order Quantity: 1					

Minimum Order is 25 unless otherwise stated above

IR Locking Hook™

high security with simplicity for store associates

IR Locking Hooks provide the highest level of security, while still allowing customers to see the merchandise. The front lock swivels up so that sales associates can remove merchandise easily.



Feature	Benefit
All merchandise is securely locked	Minimizes the risk of theft
Front lock swivels up	Easy for associate to remove merchandise
Signature locking back secures hook	Easy to remerchandise, but hard for thieves to steal
Optional information tag	Showcases product information
Works with IR2 Key	One key for a store-wide security solution

IR LOCKING HOOK ORDERING INFORMATION

		6" (15 CM) - WITH INFORMATION TAG
ORDER CODE	WALL TYPE	
NL6	American Pegboard	
		7" (18 CM) - WITH INFORMATION TAG
ORDER CODE	WALL TYPE	
NL7	American Pegboard	
		7" (18 CM)
ORDER CODE	WALL TYPE	
NL7-NT	American Pegboard	
		7" (18 CM) - FASTBAK - WITH INFORMATION TAG
ORDER CODE	WALL TYPE	
NL7FB	Slatwall Adjustable Program <i>(see page 28 for FastBak™ BakPak™ spacers)</i>	
		7" (18 CM) - FASTBAK
ORDER CODE	WALL TYPE	
NL7FB-NT	Slatwall Adjustable Program <i>(see page 28 for FastBak™ BakPak™ spacers)</i>	



9" (23 CM) - WITH INFORMATION TAG

ORDER CODE **WALL TYPE**

NL9 American Pegboard
NL9E European Pegboard



9" (23 CM)

ORDER CODE **WALL TYPE**

NL9-NT American Pegboard



9" (23 CM) - FASTBAK - WITH INFORMATION TAG

ORDER CODE **WALL TYPE**

NL9FB Slatwall Adjustable Program
(see page 28 for FastBak™ BakPak™ spacers)



9" (23 CM) - FASTBAK

ORDER CODE **WALL TYPE**

NL9FB-NT Slatwall Adjustable Program
(see page 28 for FastBak™ BakPak™ spacers)



11" (15 CM) - WITH INFORMATION TAG

ORDER CODE **WALL TYPE**

NL11 American Pegboard



12" (18 CM) - WITH INFORMATION TAG

ORDER CODE **WALL TYPE**

NL12 American Pegboard



OM REMOVAL TOOL

ORDER CODE **DESCRIPTION**

OM-RT Needed to remove locking back for re-merchandising
Minimum Order Quantity: 1

Minimum Order is 25 unless otherwise stated above

Secure Fixtures



HELIX™ WALL DISPENSERS ▶



◀ STOPLOK™



FLEXIBLE LOCKING HOOK - DOUBLE WIRE ▶



◀ FLEXIBLE LOCKING HOOK - SINGLE WIRE



LOCKING HOOK ▶

Helix Wall Dispenser

Prevents sweeping while providing consumers full access to merchandise. The Helix Wall Dispenser benefits both store associates and consumers. Associates can quickly load and effectively maintain a retail set. Consumers can dispense merchandise efficiently at all times.



HELIX WALL DISPENSER ORDERING INFORMATION



HELIX WALL DISPENSER 9" - (STANDARD MERCHANDISE, SHORT HOOK)

ORDER CODE	WALL TYPE
------------	-----------

SFH03-20S	American Pegboard
-----------	-------------------



HELIX WALL DISPENSER 12" - (STANDARD MERCHANDISE)

ORDER CODE	WALL TYPE
------------	-----------

SFH03-20	American Pegboard
----------	-------------------



HELIX WALL DISPENSER 12" - (THIN MERCHANDISE)

ORDER CODE	WALL TYPE
------------	-----------

SFH03-15	American Pegboard
----------	-------------------



HELIX WALL DISPENSER 12" - (THICK MERCHANDISE)

ORDER CODE	WALL TYPE
------------	-----------

SFH03-35	American Pegboard Hook
----------	------------------------



HELIX WALL DISPENSER 12" - (STANDARD MERCHANDISE)

ORDER CODE	WALL TYPE
------------	-----------

SFH03-20UW	UniWeb Wall
------------	-------------

StopLok

StopLok adds security to non-secure hooks. Allows retailers to select the number of “live” and “locked” merchandise items.



STOPLOK DISPENSER ORDERING INFORMATION



OM SINGLE WIRE - 6 MM DIAMETER

ORDER CODE	WALL TYPE
SL4W	Robust single wire design



OM SINGLE WIRE - 8 MM DIAMETER

ORDER CODE	WALL TYPE
SL8W	Robust single wire design

Flexible Locking Hook – Double Wire

Flexible Locking Hooks are one of the most cost-effective and adaptable item-level security solutions available. The patented magnetic locking system provides high-level key security and allows retailers to select the number of “live” and “locked” merchandise items. Product base is engineered to lock and unlock easily for quick plan-o-gram updates.



FLEXIBLE LOCKING HOOK ORDERING INFORMATION

		SH500 FLEXIBLE LOCKING HOOK – DOUBLE WIRE – 7” (18 MM)	
		ORDER CODE	WALL TYPE
		SF2LOK05	American Pegboard Minimum quantity: 2000
		SH500 FLEXIBLE LOCKING HOOK – DOUBLE WIRE – 7” (18 MM)	
		ORDER CODE	WALL TYPE
		SF2LOK05E	European Pegboard
		SH500 FLEXIBLE LOCKING HOOK – DOUBLE WIRE – FASTBAK™ – 7” (18 MM)	
		ORDER CODE	WALL TYPE
		SF2LOK05FB	Slatwall Adjustable Program Minimum quantity: 2000 <i>See page 28 for Fastbak BakPak™ Spacers</i>
		SH500 FLEXIBLE LOCKING HOOK – DOUBLE WIRE – 9” (23 MM)	
		ORDER CODE	WALL TYPE
		SF2LOK01	American Pegboard
		SH500 FLEXIBLE LOCKING HOOK – DOUBLE WIRE – 9” (23 CM)	
		ORDER CODE	WALL TYPE
		SF2LOK01E	European Pegboard Minimum quantity: 2000
		SH500 FLEXIBLE LOCKING HOOK – DOUBLE WIRE FASTBAK™ – 9” (23 CM)	
		ORDER CODE	WALL TYPE
		SF2LOK01FB	Slatwall Adjustable Program <i>See page 28 for Fastbak BakPak™ Spacers</i>

Minimum Order is 25 unless otherwise stated above

Flexible Locking Hook – Single Wire

Allows retailers to select the number of “live” and “locked” merchandise items.



FLEXIBLE HOOK - SINGLE WIRE ORDERING INFORMATION



FLEXIBLE LOCKING SINGLE WIRE HOOK - 5.50" (14 CM)

ORDER CODE	WALL TYPE
------------	-----------

SFLOK15S	American Pegboard
SFLOK15E	European Pegboard



FLEXIBLE LOCKING SINGLE WIRE HOOK - 5.50" (14 CM)

ORDER CODE	WALL TYPE
------------	-----------

SFLOK15F	Flat Bar - For use with .2" x 1" (5mm x 26mm) bar
----------	---



FLEXIBLE LOCKING SINGLE WIRE HOOK - 7.75" (20 CM)

ORDER CODE	WALL TYPE
------------	-----------

SFLOK16F	Flat Bar - For use with .2" x 1" (5mm x 26mm) bar
----------	---

Locking Hook

The Locking Hook allows retailers to enjoy the security of locked cabinets with the sales benefits of open merchandising.



LOCKING HOOK ORDERING INFORMATION



SH500 LOCKING HOOK – 7” (18 CM)

ORDER CODE	WALL TYPE
SFL05	American Pegboard
SFL05E	European Pegboard



SH500 LOCKING HOOK – FASTBAK™ – 7” (18 CM)

ORDER CODE	WALL TYPE
SFL05FB	Slatwall Adjustable Program



OM LOCKING HOOK – HANG BAR – 7” (18 CM)

ORDER CODE	WALL TYPE
SFL05BAR1	Designed to fit 0.5” – 1.5” (12.7 mm x 38 mm) bar



SH500 LOCKING HOOK – 9” (23 CM)

ORDER CODE	WALL TYPE
SFL01	American Pegboard
SFL01E	European Pegboard



SH500 LOCKING HOOK – FASTBAK™ – 9” (23 CM)

ORDER CODE	WALL TYPE
SFL01FB	Slatwall Adjustable Program



SH500 LOCKING HOOK – 9” (23 CM)

ORDER CODE	WALL TYPE
SFL01G2	Wire Grid #2 Minimum quantity: 2000



SH500 LOCKING HOOK – HEAVY DUTY – 9” (23 CM)

ORDER CODE	WALL TYPE
SFL01H	American Pegboard



SH500 LOCKING HOOK – 11” (28 CM)

ORDER CODE	WALL TYPE
SFL04	American Pegboard



SH500 LOCKING HOOK – 12” (30CM)

ORDER CODE	WALL TYPE
SFL03	American Pegboard



SH600 LOCKING HOOK – 3-WIRE – 12” (30 CM)

ORDER CODE	WALL TYPE
SFL30E	European Pegboard Minimum quantity: 2000

Minimum Order is 25 unless otherwise stated above

OM KEY

InVue's OM Key provides an easy-to-use key for use with Secure Fixtures. The unique shape and proprietary magnetics differentiate it from other magnet locking solutions.

LOCKING HOOK ORDERING INFORMATION



OM KEY AM ON RECOILER

ORDER CODE	WALL TYPE
SFKEYNDRL	SH500 Series, StopLok™, Helix™

OM KEY RF ON RECOILER

ORDER CODE	WALL TYPE
SFKEYRFRL	SH500 Series, StopLok™, Helix™

OM REMOVAL TOOL

The OM Removal Tool is designed for “on-floor” associate use of the OM Key.

LOCKING HOOK ORDERING INFORMATION



OM REMOVAL TOOL

ORDER CODE	WALL TYPE
OM-RT	SH500 Series, StopLok™, Helix™

Secure Fixtures Accessories



Bracket on Bar



Bracket on Grid



IR Locking Hook affixed to bracket

ORDER CODE

DESCRIPTION



SFBP01

Secure Hook Grid/Bar Adapter
Designed to fit 0.5" x 1" (12.7 mm x 25.4 mm) bar
For use with Bar, Grid and Standard American Prong Hooks



SFBP02

Secure Hook Grid/Bar Adapter
Designed to fit 0.5" x 1.2" (12.7 mm x 30.5 mm) bar
For use with Bar, Grid and Standard American Prong Hook



SFBP03

Secure Hook Grid/Bar Adapter
Designed to fit 0.2" x 1" (5.1 mm x 25.4 mm) bar
For use with Flat Bar, Grid and Standard European Prong Hooks



SHT

Open Face Tag
1.8" (45.7 mm)
Fits standard tag holders



SHTA002

Open Face Tag
3.4" (86.3 mm)
Fits standard tag holders



SHTA003

Open Face Tag
2.6" (66 mm)
Fits standard tag holders



SHT-2.25-25

Closed Face Tag
2.25" (57.1 mm)



SHT-2.50-25

Closed Face Tag
2.5" (63.5 mm)



NLAP01

Lock Symbol Tag
For use with IR Locking Hooks™



SFAP02

"Locked Merchandise See Sales Associate" Tag, for use with SH500 Locking Hooks,
Minimum Order: 2000



SFAP02-SYM


Lock Symbol Tag, for use with SH500 Locking Hooks
Minimum Order: 2000

Minimum Order: 25 units per order code

FastBak Spacers™

FASTBAK FOR SLATWALL

Board Material: Wood
 Channel Insert: Metal, Plastic or None



Non-standard Slatwall Configurations



“Standard” slatwalls can vary greatly. To address these variations, InVue created the Fastbak program. By using a system of configurable plastic spacers, we create a customized solution to ensure a tight and secure fit.

Please see your sales representative for more information about customizing your slatwall fit.

FASTBAK SPACERS

ORDER CODE	DESCRIPTION
 BPMW	Spacer – White Metal Hole Location
 BPMB	Spacer – Black Metal Hole Location
 BPPW	Spacer – White Plastic Hole Location
 BPPB	Spacer – Black Plastic Hole Location


Minimum Order: 200 units per order code

Wallboard Reference Information

AMERICAN PEGBOARD

Material: Wood
 Pegboard Thickness: 0.22" (5.6 mm)


Note: The American Pegboard tolerance range is broad. Check for an American Pegboard hook on your wall first.



EUROPEAN PEGBOARD (TEGO-STYLE)


Material: Thin Wall Metal
 Pegboard Thickness: 0.06" (1.6 mm)

Note: Many European Pegboard applications will use the Australian Pegboard hooks, and many Australian Pegboard applications will use the European Pegboard hooks. Check both options for a fit.




WIRE GRID 1

Material: Wire
 Wire Diameter: 0.25" (6.35 mm)



WIRE GRID 2

Material: Metal Wire
 Diameter of Wires: 0.26" (6.53 mm)





www.invue.com

The Americas 704.752.6513 • 888.55.INVUE
Europe, Middle East, and Africa +31.23.8900150
Asia Pacific +852.3127.6811